

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

"first sector" "second sector" delay signal decc

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 17 for **"first sector" "second sector" delay signal decorrelated**. (0.14 seconds)

Method and apparatus for conveying a communication signal between ...

a4) **decorrelating** the uplink communication signal received from the second portion ... the **second sector** is adjacent to a first side of the **first sector** and ...
www.patentstorm.us/patents/5596333-claims.html - 27k - [Cached](#) - [Similar pages](#) - [Note this](#)

Method and apparatus for conveying a communication signal between ...

Since the received signals are **decorrelated** prior to submission to the receiver, the receiver can distinguish each received **signal** by the imposed time **delay** ...
www.patentstorm.us/patents/5596333-description.html - 64k - [Cached](#) - [Similar pages](#) - [Note this](#)

(WO/1996/007108) METHOD AND APPARATUS FOR CONVEYING A ...

c) **decorrelating** the second received **signal** with respect to the first received ... the **second sector** is adjacent to a first side of the **first sector** and ...
www.wipo.int/pctdb/en/wo.jsp?IA=WO1996007108&DISPLAY=CLAIMS - 18k - [Cached](#) - [Similar pages](#) - [Note this](#)

(WO/2002/032028) MICROCELL DELAY-SECTORIZATION SYSTEM FOR CDMA ...

... divides a microcell service area into a **first sector**, a **second sector**, are time **delay decorrelated** from said first secondary **signal** paths for other ...
www.wipo.int/pctdb/en/wo.jsp?wo=2002032028&IA=WO2002032028&DISPLAY=CLAIMS - 36k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.wipo.int](#)]

Method and apparatus for conveying a communication signal between ...

The base site of claim 20, wherein the means for **decorrelating** comprises a **delay** device for delaying the downlink communication **signal** provided to the ...
www.freepatentsonline.com/5596333.html - 73k - [Cached](#) - [Similar pages](#) - [Note this](#)

DYNAMIC SECTORIZATION IN A SPREAD SPECTRUM COMMUNICATION SYSTEM ...

The channel load is distributed by narrowing a **first sector** antenna 2) in that a **decorrelating delay** is introduced between signals received from ...
www.freepatentsonline.com/EP0775393.html - 90k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.freepatentsonline.com](#)]

METHOD AND APPARATUS FOR CONVEYING A COMMUNICATION SIGNAL BETWEEN ...

wherein the means for **decorrelating** comprises a **delay** device for delaying ... wherein the **second sector** is adjacent to a first side of the **first sector** and ...
www.wikipatents.com/ca/2174765.html - 92k - [Cached](#) - [Similar pages](#) - [Note this](#)

Polarization and angular diversity among antenna beams - Patent ...

The system of claim 17, wherein said first and second **signal** diversity signals from a **second sector** are provided to a **second sector** main and diversity ...
www.wikipatents.com/6351237.html - 180k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.wikipatents.com](#)]

Intersector correlations: A quantitative approach to switched ...

Thus switching toward the **second sector** may be useful if at some instant or location the channel is poor in the **first sector**. Simple algebra yields ...
ieeexplore.ieee.org/iel5/8/27564/01229892.pdf?arnumber=1229892 - [Similar pages](#) - [Note this](#)

[PPT] Diapositive 1

File Format: Microsoft Powerpoint - [View as HTML](#)

Gravitational time **delay** (Shapiro **delay**); Large variation during occultation ... P1:

Modification of the metric component g_{00} ("**first sector**" in Jaekel ...

www2.iap.fr/greco/Seminaires_GReCO/2007/Presentations/Wolf/GReCO_2007_pub.ppt -

Similar pages - Note this

1 2 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

"first sector" "second sector" delay s:

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

RESULT LIST

1 result found in the Worldwide database for:

EP0775393 as the publication number

(Results are sorted by date of upload in database)

**1 DYNAMIC SECTORIZATION IN A SPREAD SPECTRUM
COMMUNICATION SYSTEM**

Inventor: STRICH W ELI (US); THOMPSON JAMES H
(US)

Applicant: QUALCOMM INC (US)

EC: H04Q7/36H

IPC: **H04J13/00; H04B7/06; H04B7/10** (+17)

Publication info: **EP0775393** - 1997-05-28

Data supplied from the **esp@cenet** database - Worldwide

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

antennas amplifiers delay decorrelating "cover

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **67** for **antennas amplifiers delay decorrelating "coverage area" switch matrix s**

Dynamic sectorization in a spread spectrum communication system ...

The **summation** nodes 92 are each coupled to **switch matrix** 74 through a set 2) in that a **decorrelating delay** is introduced between signals received from ...

www.patentstorm.us/patents/6473447-description.html - 77k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Dynamic sectorization in a spread spectrum communication system ...

a plurality of **summation** networks coupled to the **switch matrix** and 2) in that a **decorrelating delay** is introduced between signals received from ...

www.freepatentsonline.com/EP1317079.html - 92k - [Cached](#) - [Similar pages](#) - [Note this](#)

(WO/2002/015602) METHOD AND APPARATUS FOR DETERMINING THE ...

Receive BPFs 104A-104K are subsequently coupled to low-noise **amplifiers** (LNAs) 106A-106K Additionally, if a **switching matrix** at the beam space side of ...

www.wipo.int/pctdb/en/wo.jsp?IA=WO2002015602&DISPLAY=DESC - 59k -

[Cached](#) - [Similar pages](#) - [Note this](#)

(WO/1998/053625) SOLELY DIGITAL BASE STATION AND DIGITAL ...

The **coverage area**, also called basic cell is a function of the radiation diagram a **switching matrix** to connect each transceiver with one array or the ...

www.wipo.int/pctdb/en/wo.jsp?wo=1998053625&IA=WO1998053625&DISPLAY=DESC - 168k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.wipo.int](#)]

[PDF] Perspectives Of Adopting Inteference Mitigation Techniques In The ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

European region was assumed as the target **coverage area**. For the zero forcing (**decorrelating**). precoding, the **matrix F** is: ...

www.iet.ntnu.no/~ralf/papers/icssc_2005.pdf - [Similar pages](#) - [Note this](#)

[PDF] Preparation of Papers for AIAA Technical Conferences

File Format: PDF/Adobe Acrobat - [View as HTML](#)

For the zero forcing (**decorrelating**). precoding, the **matrix F** is: ... total sum power Σ ... Port **Amplifier** or an active **antenna** is assumed). B. Issues ...

www.eurecom.fr/util/publi/download.en.htm?id=1718 - [Similar pages](#) - [Note this](#)

NU - Graduate School Of Engineering

Design considerations include propagation **delay**, **switching** speed, fan-out, and the effect of ... Presents the fundamental theory and properties of **antennas**. ...

www.coe.neu.edu/gse/sc_ece_cd.html - 122k - [Cached](#) - [Similar pages](#) - [Note this](#)

MULTIUSER DETECTION FOR WIRELESS NETWORKS

In terms of complexity, both the **decorrelating** and. LMMSE. receivers. require computing the inverse of a $K \times K$ **matrix** related to the cor- ...

www.springerlink.com/index/t8548v314v477462.pdf - [Similar pages](#) - [Note this](#)

[PDF] LINEAR SPACE-TIME MODULATION IN MULTIPLE-ANTENNA CHANNELS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

antennas to be identical, **amplifier** design problem at the base station is The conditional BER can be computed in closed form for a **decorrelating** ...

lib.tkk.fi/Diss/2004/isbn9512273764/isbn9512273764.pdf - [Similar pages](#) - [Note this](#)

[PDF] Measurement System and Campaign for Characterizing of Theoretical ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

consumer demand for higher data rates and a larger coverage area. decorrelated fading. Specifically, a minimum antenna spacing of only 0.4λ was ...
scholar.lib.vt.edu/theses/available/etd-04162002-015520/unrestricted/thesis_part1.pdf -
[Similar pages](#) - [Note this](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

antennas amplifiers delay decorrelat

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

RESULT LIST

1 result found in the Worldwide database for:

EP1317079 as the publication number

(Results are sorted by date of upload in database)

1 Dynamic sectorization in a spread spectrum communication system

Inventor: STRICH ELI W (CA); THOMPSON JAMES H (US) Applicant: QUALCOMM INC (US)

EC: H04Q7/36H

IPC: **H04Q7/36; H04Q7/36**; (IPC1-7): H04B7/04 (+1)

Publication info: **EP1317079** - 2003-06-04

Data supplied from the **esp@cenet** database - Worldwide

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "'((second sector and delay)<in>metadata)'"

Your search matched 1 of 1719207 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

IEEE/IET

Books

Educational Courses . A


[Select All](#) [Deselect All](#)
☐ 1. Simultaneous wide-band four-antenna wireless channel-sounding meas a suburban environment

 Wilson, P.F.; Papazian, P.B.; Cotton, M.G.; Lo, Y.; Bundy, S.C.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 50, [Issue 1](#), Jan. 2001 Page(s):67 - 78

Digital Object Identifier 10.1109/25.917877

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(268 KB\)](#) IEEE JNL
[Rights and Permissions](#)

Indexed by


[Help](#) [Contact Us](#)

© Copyright 20


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((sector and delay and decorrelated)<in>metadata)) <and> (pyr >= 1950 <and> pyr..."

Your search matched 0 of 1719207 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

IEEE/IET

Books

Educational Courses

A


IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#)

© Copyright 2008

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((antennas and amplifiers and delay and decorrelating and coverage area and switch matrix and summat..."

Your search matched 0 of 1719207 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» Search Options](#)[View Session History](#)[New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine
IET JNL IET Journal or Magazine
IEEE CNF IEEE Conference Proceeding
IET CNF IET Conference Proceeding
IEEE STD IEEE Standard


Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[A](#)[IEEE/IET journals, transactions, letters, magazines, conference proceedings, and](#)[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#)

© Copyright 20


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((antennas and amplifiers and delay and coverage area)<in>metadata)"

Your search matched 1 of 1719207 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

((antennas and amplifiers and delay and coverage area)<in>metadata)

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[A](#)[IEEE/IET journals, transactions, letters, magazines, conference proceedings, and](#)[view selected items](#)[Select All](#) [Deselect All](#)

1. **An Efficient Resource Scheduling Algorithm for Phased Array Antenna**
Choi, J.P.; Chan, V.W.S.;
[Military Communications Conference, 2006. MILCOM 2006](#)
23-25 Oct. 2006 Page(s):1 - 7
Digital Object Identifier 10.1109/MILCOM.2006.302416
[AbstractPlus](#) | [Full Text: PDF\(6769 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Indexed by

[Help](#) [Contact Us](#)

© Copyright 20


☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((antennas and delay and coverage area)<in>metadata)"

Your search matched 12 of 1719207 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((antennas and delay and coverage area)<in>metadata)

Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

IEEE/IET

Books

Educational Courses

A

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **The effects of antenna gains and polarization on multipath delay spread on cross-campus radio links**
Rappaport, T.S.; Liberti, J.C.; Blackard, K.L.; Tuch, B.;
[Vehicular Technology Conference, 1992 IEEE 42nd](#)
10-13 May 1992 Page(s):550 - 553 vol.1
Digital Object Identifier 10.1109/VETEC.1992.245335
[AbstractPlus](#) | Full Text: [PDF\(324 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **An Efficient Resource Scheduling Algorithm for Phased Array Antenna**
Choi, J.P.; Chan, V.W.S.;
[Military Communications Conference, 2006. MILCOM 2006](#)
23-25 Oct. 2006 Page(s):1 - 7
Digital Object Identifier 10.1109/MILCOM.2006.302416
[AbstractPlus](#) | Full Text: [PDF\(6769 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Semi-elliptic-coverage geometric-based stochastic channel modeling for with oscillating beam patterns**
Zekavat, S.A.; Nassar, C.R.;
[Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE](#)
Volume 5, 25-29 Nov. 2001 Page(s):3237 - 3241 vol.5
Digital Object Identifier 10.1109/GLOCOM.2001.966024
[AbstractPlus](#) | Full Text: [PDF\(200 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Transmit diversity via oscillating-beam-pattern adaptive antennas: an ev based stochastic circular-scenario channel modeling**
Zekavat, S.A.; Nassar, C.R.;
[Wireless Communications, IEEE Transactions on](#)
Volume 3, Issue 4, July 2004 Page(s):1134 - 1141
Digital Object Identifier 10.1109/TWC.2004.827732
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(400 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Performance considerations for slotted spread-spectrum random-access directional antennas**
Pronios, N.B.;
[Global Telecommunications Conference, 1989, and Exhibition, 'Communications 1990s and Beyond', GLOBECOM '89, IEEE](#)

27-30 Nov. 1989 Page(s):1613 - 1617 vol.3
 Digital Object Identifier 10.1109/GLOCOM.1989.64218

[AbstractPlus](#) | [Full Text: PDF\(376 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐

6. Smart antenna arrays with oscillating beam patterns: characterization of semi-elliptic coverage
 Zekavat, S.A.; Nassar, C.R.;
[Communications, IEEE Transactions on](#)
 Volume 50, Issue 10, Oct. 2002 Page(s):1549 - 1556
 Digital Object Identifier 10.1109/TCOMM.2002.803974
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(626 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐

7. A new spatial-temporal channel simulator for multi-antenna system in urban environment
 Xing Zhiqiang; Meng Weixiao;
[Communications, Circuits and Systems, 2005. Proceedings. 2005 International Conference on](#)
 Volume 1, 27-30 May 2005 Page(s):293 - 297 Vol. 1
 Digital Object Identifier 10.1109/ICCCAS.2005.1493413
[AbstractPlus](#) | [Full Text: PDF\(242 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐

8. Modeling of the DECT outdoor radio channel
 Döttling, M.; Becker, T.C.; Wiesbeck, W.;
[Vehicular Technology Conference, 1997 IEEE 47th](#)
 Volume 3, 4-7 May 1997 Page(s):1947 - 1951 vol.3
 Digital Object Identifier 10.1109/VETEC.1997.605898
[AbstractPlus](#) | [Full Text: PDF\(668 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐


9. A delay-centred wideband indoor channel model for MM-wave communications
 Mavrikakis, D.; Saunders, S.R.;
[Antennas and Propagation, 2003. \(ICAP 2003\). Twelfth International Conference on](#)
 Volume 2, 31 March-3 April 2003 Page(s):518 - 521 vol.2
[AbstractPlus](#) | [Full Text: PDF\(353 KB\)](#) IET CNF
- ☐

10. Digital terrestrial television broadcasting with OFDM-a study on the performance of frequency networks
 Hirano, J.; Saito, M.; Kamise, C.;
[Broadcasting Convention, International \(Conf. Publ. No. 428\)](#)
 12-16 Sept. 1996 Page(s):178 - 183
[AbstractPlus](#) | [Full Text: PDF\(532 KB\)](#) IET CNF
- ☐

11. A New Protocol to Mitigate the Unheard RTS/CTS Problem in Networks with Multiple Antennas
 RamMohan, V.A.; Sethu, H.; Hosaagrahara, M.R.; Dandekar, K.R.;
[Wireless Pervasive Computing, 2007. ISWPC '07. 2nd International Symposium on](#)
 5-7 Feb. 2007.
 Digital Object Identifier 10.1109/ISWPC.2007.342587
[AbstractPlus](#) | [Full Text: PDF\(125 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐

12. Adaptive dynamic channel allocation scheme for spotbeam handover in mobile networks
 Cho, S.;
[Vehicular Technology Conference, 2000. IEEE VTS-Fall VTC 2000. 52nd](#)
 Volume 4, 24-28 Sept. 2000 Page(s):1925 - 1929 vol.4
 Digital Object Identifier 10.1109/VETECF.2000.886150
[AbstractPlus](#) | [Full Text: PDF\(372 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Indexed by



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"first sector" AND "second sector" AND delay AND sign

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words: "first sector" AND "second sector" AND delay AND signal AND decorrelat

Found:: :6 total | 0 journal results | 6 preferred web results | 0 other web results

Sort by:: :relevance | date

Save checked results

Email checked results

Export checked results

- ☐ 1. MICROCELL DELAY-SECTORIZATION SYSTEM FOR CDMA BASE TRANSMITTER SITE
FUERTER, Matthew (REPEATER TECHNOLOGIES), PATENT COOPERATION TREATY
APPLICATION, Apr 2002

patno:WO0232028

...coupling to primary **signal** paths, differential...transmitter site, having **delay** combiner modules and...site coupled with two **delay** 15 combiner modules...coupling to primary **signal** paths 52a, 52b. A **first sector** 64a, referred herein...20 is enhanced with **delay**-sectorization circuitry 66, to provide 9 **decorrelated** forward link **signals** 15 and reverse-link...

Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 6 results from Patent Offices](#)
[similar results](#)

- ☐ 2. Dynamic sectorization in a spread spectrum communication system
Strich, Eli W. / Thompson, James H. (QUALCOMM Incorporated), EUROPEAN
PATENT APPLICATION, Jun 2003

patno:EP1317079

...network for providing a second modulation **signal** by delaying the first modulation **signal** by a predetermined **delay** inversely related to the PN chip rate...transmit the first and second modulation **signals** respectively to first and second coverage...

Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 6 results from Patent Offices](#)
[similar results](#)

- ☐ 3. Method and apparatus for conveying a communication signal between a communication unit and a base site

Bruckert, Eugene J. (Motorola, Inc.), UNITED STATES PATENT AND TRADEMARK
OFFICE GRANTED PATENT, Jan 1997

patno:US5596333

...embodiment, the downlink communication **signal** transmitted using narrow beam antenna pattern 115 is **decorrelated**, prior to transmission, with respect to the downlink communication **signal** transmitted using narrow beam antenna...transmission of the downlink common control **signal** into portion 111 is preferably **decorrelated** with respect to the transmission of...

Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 6 results from Patent Offices](#)
[similar results](#)

- ☐ 4. METHOD AND APPARATUS FOR CONVEYING A COMMUNICATION SIGNAL BETWEEN A COMMUNICATION UNIT AND A BASE SITE

BRUCKERT, Eugene J. / HOLOUBEK, Kevin, Joseph (MOTOROLA INC.), PATENT

Dis-
"fir-
sec-
co-

Re-
us
fol
am
tra

Or
Al

F

COOPERATION TREATY APPLICATION, Mar 1996

patno:WO9607108

...transmit the downlink communication **signal** to the communication unit 105 using...embodiment, the downlink communication **signal** transmitted using narrow beam antenna pattern 115 is **decorrelated**, prior to transmission, with respect to the downlink communication **signal** transmitted using narrow beam antenna...

Full text available at patent office. For more in-depth searching go to  LexisNexis
[view all 6 results from Patent Offices](#)
[similar results](#)

☐ 5. Dynamic sectorization in a spread spectrum communication system

Strich, W. Eli / Thompson, James H., *UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION*, May 2002

patno:US20020054580

...each pair of identical PN-modulated **signals** projected to adjacent coverage areas...thereby decorrelating each such pair of **signals**. In the preferred embodiment a **delay** having a duration slightly longer than...long code is used to decorrelate the **signals** projected to adjacent coverage areas...and hence to separately receive, the **decorrelated** PN-modulated **signals** provided to the...


Full text available at patent office. For more in-depth searching go to  LexisNexis
[view all 6 results from Patent Offices](#)
[similar results](#)

☐ 6. DYNAMIC SECTORIZATION IN A SPREAD SPECTRUM COMMUNICATION SYSTEM

STRICH, W., Eli / THOMPSON, James H. (QUALCOMM INCORPORATED), *EUROPEAN PATENT*, May 1997

patno:EP775393

...narrowing a **first sector** antenna beamwidth...and widening a **second sector** antenna beamwidth...previously in the **first sector** antenna beamwidth...a method of **signal** transmission...first modulation **signal** by a predetermined **delay** inversely related...

Full text available at patent office. For more in-depth searching go to  LexisNexis
[view all 6 results from Patent Offices](#)
[similar results](#)

Sponsored links

[Signals Catalog](#)

Gifts That Inform, Enlighten & Entertain. Supports Public TV.

[Signals.com](#)

[Effects & Processors](#)

3,000+ Effects & Processors. Deals on Effects & Processors!

[BizRate.com/Effects&Processors](#)



"first sector" AND "second sector" AND delay AND sign

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

[Downloads](#) | [Library Partners](#) | [Subscribe to News Updates](#) | [User Feedback](#)
[Advertising](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2008

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Web Site](#)[Help](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#)

antennas AND amplifiers AND delay AND decorrelating

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phraseSearched for:: :All of the words: **antennas AND amplifiers AND delay AND decorrelating AND "coverage a**Found:: : **5 total** | **0 journal results** | **5 preferred web results** | **0 other web results**Sort by:: : **relevance** | **date**

- ☐ 1. [Dynamic sectorization in a spread spectrum communication system](#)
Strich, Eli W. / Thompson, James H. (QUALCOMM Incorporated), EUROPEAN PATENT APPLICATION, Jun 2003
patno:EP1317079
...fixed-beam **antennas** (not shown...spans the **coverage area** C4. Similarly...within the **coverage area** C5. As is...users within **coverage area** C5 desiring...predetermined **delay** inversely...depicts a **switch matrix**, disposed...
Full text available at patent office. For more in-depth searching go to LexisNexis™
[view all 5 results from Patent Offices](#)
[similar results](#)
- ☐ 2. [Dynamic sectorization in a spread spectrum communication system](#)
Strich, W. Eli / Thompson, James H., UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, May 2002
patno:US20020054580
...fixed-beam **antennas** into adjacent...of the beam **coverage area**, the resulting...fixed-beam **antennas** to dynamically...invention, a **delay** is introduced...sector, thereby **decorrelating** each such...positioned at a **coverage area** boundary is...to transmit **amplifiers** 58, 60 and...coupled to a **switch matrix** 74.
[0056...include an input **summation** node 92. The...
Full text available at patent office. For more in-depth searching go to LexisNexis™
[view all 5 results from Patent Offices](#)
[similar results](#)
- ☐ 3. [DYNAMIC SECTORIZATION IN A SPREAD SPECTRUM COMMUNICATION SYSTEM](#)
STRICH, W., Eli / THOMPSON, James H. (QUALCOMM INCORPORATED), PATENT COOPERATION TREATY APPLICATION, Aug 1995
patno:WO9522210
...fixed-beam **antennas** (not shown...spans the **coverage area** C4. Similarly...within the **coverage area** C5. As is...users within **coverage area** C5 desiring...predetermined **delay** inversely...depicts a **switch matrix**, disposed...
Full text available at patent office. For more in-depth searching go to LexisNexis™
[view all 5 results from Patent Offices](#)
[similar results](#)
- ☐ 4. [Dynamic sectorization in a spread spectrum communication system](#)
Strich, W. Eli / Thompson, James H. (Qualcomm Incorporated), UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Oct 2002
patno:US6473447
...fixed-beam **antennas** into adjacent...of the beam **coverage area**, the resulting...fixed-beam **antennas** to dynamically...invention, a **delay** is

Dic
[an](#)
[co](#)
are
[sur](#)Re
us
for[an](#)
[dia](#)
[ref](#)
[ext](#)[in-](#)
[tra](#)Or
Al☐ F[An](#)
[Sen](#)
[net](#)
[ana](#)
[ww](#)[Sur](#)
[Phe](#)
[Pric](#)
[Cor](#)
[RFL](#)[Mat](#)
[repl](#)
[ant](#)
[Hat](#)
[Car](#)

introduced...sector, thereby **decorrelating** each such...positioned at a **coverage area** boundary is...to transmit **amplifiers** 58, 60 and...coupled to a **switch matrix** 74. As is...include an input **summation** node 92. The...

Full text available at patent office. For more in-depth searching go to  LexisNexis™
[view all 5 results from Patent Offices](#)
[similar results](#)


☐ 5. **DYNAMIC SECTORIZATION IN A SPREAD SPECTRUM COMMUNICATION SYSTEM**

STRICH, W., Eli / THOMPSON, James H. (QUALCOMM INCORPORATED),

EUROPEAN PATENT, May 1997

patno:EP775393

...fixed-beam **antennas** (not shown...spans the **coverage area** C4. Similarly...within the **coverage area** C5. As is...users within **coverage area** C5 desiring...predetermined **delay** inversely...depicts a **switch matrix**, disposed...

Full text available at patent office. For more in-depth searching go to  LexisNexis™
[view all 5 results from Patent Offices](#)
[similar results](#)

Sponsored links

RF Switch Matrix / Router

IF, L & SHF bands + custom build Sizes 8x8, 16x16, 32x32 to 512x512

www.etlsystems.com

Matrix Switch for RF

L-band, Broadband, IF 2x2 - 512x512 matrix switch solutions by Quintech

www.quintechelectronics.com

Switch Matrix Systems

Solid state 256x256 matrix Hi Performance, Hi Density

www.pfinc.com



antennas AND amplifiers AND delay AND decorrelating

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

[Downloads](#) | [Library Partners](#) | [Subscribe to News Updates](#) | [User Feedback](#)
[Advertising](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by **FAST** © Elsevier 2008